ARDON®
WORKWEAR
& OUTDOOR

ARDON®PRIME SANTREK S1

SAFETY SHOES

TECHNICAL SHEET





DRY AIR

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®PRIME SANTREK S1

SAFETY SHOES



ARTICLE	**G1303**
MATERIAL	
Upper	brushed cowhide VELUR
Lining	MESH laminated breathable fabric
Sole	PU/PU, two-component spray coating, oil resistant, anti-static, antislip
Toe cap	steel 604
Plate	-
Insole	AIR COMFORT- richly perforated, perfectly removes moisture
SIZE	36-48
UNIT	pair
PACKAGE	
Units in a carton	10 pairs
Units in a box	1 pair

DIMENSIONS	36-41	42-44	45-48
Carton H x W x D (cm)	59,5 x 32,5 x 40	62 x 34 x 42	64,5 x36 x 44
Carton (cbm)	0,0774	0,0885	0,1021

Size EUR	**35**	**36**	**37**	**38**	**39**	**40**	**41**	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**	**51**
Insole length mm	-	235	241	248	255	262	270	276	283	290	297	304	310	317	-	-	-
Foot length cm	-	23,0	23,6	24,3	25,0	25,7	26,5	27,1	28,3	28,5	29,2	29,9	30,5	31,2	-	-	-

DESCRIPTION

Safety sandals with trekking design with suede upper. The shoes are equipped with a steel toe cap. The sole is made of two-component polyurethane.

© ARDON s.r.o. / ALL RIGHTS RESERVED

NORMS

(EU) 2016/425
EN ISO 20345:2022+A1:2024 Personal protective equipment – Safety footwear

Category S1 FO SR

Categories	**EN ISO 20345**	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	SR
WPA - upper resistant to water		WPA
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)		
The shoes do not contain metal parts		0% METAL
HRO - resistance to contact heatup to 300 °C		300 °C
HI-insulation of the bottom of the shoe against heat		HI
CI-insulation of the bottom of the shoe against the cold		CI
Splatters of molten metal		WG
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		ESD
-		
-		
-		

TECHNICAL SHEET

© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1303/36	8592390082480	12.85	1.285
G1303/37	8592390082497	12.87	1.287
G1303/38	8592390082503	12.89	1.289
G1303/39	8592390082510	12.91	1.291
G1303/40	8592390082527	12.96	1.296
G1303/41	8592390082534	13.10	1.310
G1303/42	8592390082541	13.25	1.325
G1303/43	8592390082558	13.36	1.336
G1303/44	8592390082565	13.40	1.340
G1303/45	8592390082572	13.41	1.341
G1303/46	8592390082589	13.46	1.346
G1303/47	8592390082596	13.49	1.349
G1303/48	8592390082602	13.51	1.351



© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®
WORKWEAR
& OUTDOOR



© ARDON s.r.o. / ALL RIGHTS RESERVED
ARDON s.r.o. tř. Kosmonautů 1221/2a, Olomouc www.ardon.cz

ARDON®
WORKWEAR
& OUTDOOR







© ARDON s.r.o. / ALL RIGHTS RESERVED