



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## ARDON® Smart Grip

ACCURATE HANDLING IN DRY ENVIRONMENT WITH EXTRA GRIP



TECHNICAL DATA



EN 388: 2016



EN 407:2020



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# ARDON® Smart Grip

ACCURATE HANDLING IN DRY ENVIRONMENT WITH EXTRA GRIP

**CODE** A8024

## MATERIAL

Lining 15G nylon, lycra (black)  
 Coating nitrile microfoam (black) with antislip "A" patterned finish  
 Thickness ±1,1 mm (in palm)

**SIZE(S)** 7 / S – 11 / 2XL

**UNIT** pair

## PACKING


Units in carton 120 pairs  
 Units in polybag 12 pairs  
 Retail packaging sales label

## DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	46x25x26	46x26x30	46x26x30	46x28x32	46x28x32	-
Carton (cbm)	-	-	0,0300	0,0359	0,0359	0,0412	0,0412	-

## WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	5,50	5,90	6,50	6,90	7,40	-
Unit (g)	-	-	35,0	38,0	43,0	46,0	50,0	-



## Size chart (cm)

	5	6	7	8	9	10	11	12
total length (A)	-	-	22,0	23,0	24,0	25,0	26,0	-
cuff length (B)	-	-	7,20	7,40	7,60	7,80	8,00	-
cuff width (C)	-	-	7,40	7,60	7,80	8,00	8,20	-
palm width (D)	-	-	9,00	9,50	10,6	11,1	11,6	-

Tolerance (A) ± 1,00 (cm)

Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)

Tolerance (D) ± 0,70 (cm)

## DESCRIPTION

Fine nylon knit dipped in durable nitrile microfoam with anti-slip finish.

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

## STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
 cut resistance  
 tearing resistance  
 puncture resistance  
 cut resistance acc. to ISO

#### LVL

4  
 1  
 3  
 1  
 A

#### score

> 8.000  
 1,2 – 2,5  
 50 – 75  
 20 – 60  
 2 – 5

#### unit

cycles  
 index  
 N  
 N  
 N

EN 407:2020

Protective gloves against heat or flame



### PROTECTION LEVELS

#### THERMAL RISKS

resistance to burning  
 resistance to contact heat  
 resistance to convectional heat  
 resistance to radiant heat  
 resistance to small drops of molten metals  
 resistance to large drops of molten metals

#### LVL

X  
 1  
 X  
 X  
 X  
 X

#### score

not measured  
 100°C for 15s  
 not measured  
 not measured  
 not measured  
 not measured

TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

### SPECIAL FEATURES

- "A" shaped nitrile antislip coating on palm and fingers for safer and softer grip
  - fine 15 gauge liner
  - hem free finish
  - every size with different hem colour
  - ARDON® design:
    - reflective manufacturer's logo
    - each pair retail ready
  - clean industrial look
- all SMART GRIP gloves are certified according to OEKOTEX® STANDARD 100 and in accordance with the REACH regulation



STANDARD  
100

PG020 250713  
OETI

TECHNICAL DATA

#### Retail packaging (with sales label)

A8024/07-SPE  
A8024/08-SPE  
A8024/09-SPE  
A8024/10-SPE  
A8024/11-SPE

#### EAN

8592390180803  
8592390180810  
8592390180827  
8592390180834  
8592390180841

#### HEM COLOR

yellow  
green  
orange  
blue  
red



**ARDON**<sup>®</sup>  
**WORKWEAR**  
**& OUTDOOR**



TECHNICAL DATA

